


Finishing solutions for banners & fabrics



**EYELETS** EYELET **MACHINES** BANNER FINISHING **SYSTEMS** MEDIA STORAGE & HANDLING SIGNMAKING

# COMPANY **PRESENTATION**



2004 1990

### Plásticos Alco

was founded to manufacture industrial parts using injection moulding machines for several sectors such as agricultural equiment, food packaging...

# Our brand **PLASTGrommet**

was created to supply clear recyclable evelets for digital printing market, later on eyelet machines and storage racks were added to our offer.

### Opening of a US subsidiary (Miami) to serve the North

We are present in more than 30 countries exporting American market. 70% of our turnover.

> We are present in more than 30 countries exporting 70% of ourturnover.





**-**EYELETS

# **CLEAR RECYCLABLE**

# **EYELETS: THE ULTIMATE**

# EYELET SOLUTION FOR BANNERS



If you are in the **banner business**, choose PLASTGrommet **clear eyelets** if you are looking for an **effective finishing** solution that is not only environmentally friendly but also ultra-strong and cost-effective.













# Eyelets for any kind of applications.

# Invisible, strong and recyclable.

### Ø08 mm





- · Rigid and semi-rigid materials:
  - · Polypropylene sheets.
  - · Polyethylene sheets.
  - · No washer needed.

### Ø12 mm





- · For all kind of applications:
- · Corrugated PP (Coroplast).
- · X-banner.
- · Foam board.
- · Fabrics.

### Ø12 mm Long Neck





- · Longer neck for heavier banners.
- · On rigid materials it is possible to use just the eyelet (no washer).
- · Thick rigid materials.
- · Same washer as regular 12 mm.


### Ø16 mm





- · Thick rigid materials
- · On rigid materials it is possible to use just the eyelet (no washer)
- · For all kind of applications, specially large format.


### **Ø25 mm**





- · Curtain market.
- · Industrial applications.
- · Packaging.

# Ø40 mm





- · Curtain market.
- $\cdot \ \text{Industrial applications}.$
- · Packaging.

# 100% Recyclable eyelets



Recyclable with PP and PE banners

No more



UV protection suitable for outdoor.

Invisible



Improve your banners with clear eyelets

**Environmentally** friendly




Free of heavy metals and anti-corrosives PVC free

# Metal eyelets (steel & brass)

We have a complete range of **metal eyelets** for different applications. Order the specific dies to use them on PLASTGrommet equipment.

# Eyelets for hand presses & semi-automatic machines

- Self-piercing, no pre-cutting required.
- Raw material: Steel nickel plated and brass nickel plated.
- Machines: HPS025 HPS020R and pneumatic Queen & Speed Queen.



### **Eyelets for automatic machines**

- Eyelets with neck washer to be used on automatic machines.
- Machines: Autocross or Multipress ordering special tooling.





# **Curtain Eyelets**

Complete range of eyelets to be used in curtains. Plastic eyelets available in  $\emptyset 25 \text{mm}$  /  $\emptyset 40 \text{mm}$  and steel eyelets in  $\emptyset 40 \text{mm}$  in various finishes.

# Plastic eyelets



# Metal eyelets

# Ø40 mm






















EYELET MACHINES

# EYELETING EQUIPMENT TO FULFILL YOUR NEEDS

# **BASIC LINE (BANNERS)**



# **PRO LINE (FABRICS & BANNERS)**



# EYELET MACHINES

02.1

# **BASIC LINE (BANNERS)**

The Basic line of PLASTGrommet eyelet machines.. Designed to work with: **mesh, PVC banners, corrugated sheets, foam board** and many of the materials used in graphic industry.

In addition to the graphics industry, it is also widely used in manufacturing companies, since it is ideal for use in packaging materials (plastics and cardboard), elastic foam (gym mats or protective materials), etc.



ADVERTISING BANNERS
Perfect for the materials
most used in digital
printing: PVC, mesh,
PE, PP, PET.



CORRUGATED SHEETS
Rigid corrugated plastics
signs such as PP, PE, Aquilux,
Forex and cardboard or
foam board.



GYM MATS
Suitable for gym
mats as well as other
types of similar
materials



# **HPS**025

- Portable: Take it anywhere. Move the press and not the banner.
  No need to pre-cut the material, machine does cutting and setting in a single operation.
  Offered as a package deal: hand press, die and 250 clear eyelets.
- Set clear eyelets on different materials such as PVC banners, Coroplast...


### Available dies:

Clear eyelets: Ø8, Ø12 and Ø16 mm.
Metal eyelets: 09.5 mm and 11.5 mm.











**HPS**020R

Need to be fixed on your workbench. Wide range of eyelet sizes and materials to set on: PVC banners, coroplast, fabrics, etc

### Available dies:

- Clear eyelets: Ø8, Ø12 and Ø16 mm.
  Metal eyelets: Ø9.5, Ø11.5 and Ø15.2 mm.
- Pre-cutting dies for fabrics:
- Clear eyelets: Ø8, Ø12, Ø16, Ø25 and Ø40 mm.



# Queen & SpeedQueen



Our range of lightweight pneumatic eyelet machines offers shop owners an affordable way to finish their banners and print jobs effortless, reducing their production times and ensuring a constant quality setting during the finishing process.

These eyelet presses have been designed to set PLASTGrommet clear grommets on different types of materials: PVC banners, Coroplast, mesh... but not on fabrics.

### **FEATURES**

- No effort required to eyelet banners.
- Safety guard that covers setting area.
- No assembly needed, just plug the air hose.
  Heavy duty machine for large volume shops.
  Light weight, easy to move (10kg).

### Available dies:

- Clear eyelets: Ø8, Ø12 and Ø16 mm.
- Metal eyelets: Ø9.5, Ø11.5 and Ø15.2 mm.







Ref Queen: QUEEN



With foot pedal: Speed Queen



Ref SQueen: SQUEEN

### **OPTIONAL EQUIPMENT**









Platform on wheels



Ref. Platform on wheels: 2002017

Stand with folding sides



Ref. Stand: 2002018



# **Evolution**



Our pneumatic machine for: PVC banners, mesh, corrugated sheets and gym mats.

Evolution has been **designed for mid-volume** users who do not require as many features as Multipress or AutoCross can offer but still need to work with an automatic machine.



**FEATURES** 



Laser pointer for accurate setting.



**Operator safety first**: if any of the security devices is removed, machine will not work.



Sets 2000 eyelets/hour.



**Eyelet spacer** to set all of them to the same distance.

Available for clear eyelets: Ø12 and Ø16 mm.



Ref: APM060B2



### OPTIONAL EQUIPMENT

**BASIC LINE** 



Stand with folding sides

Ref. Evolution 12: 2002019

Ref. Evolution 16: 2002019-16



Stand with 1.5 m stainless steel plate

Ref. Stand: 20061MS

Ref Stainless Steel Plate: 20061BA









# EYELET MACHINES

02.2

PRO LINE (FABRICS & BANNERS)

Most versatile line of PLASTGrommet eyelet machines. In addition to the compatible materials of the basic line, it also allows you to work with **fabrics** and materials that require setting adjustments.

The PRO LINE is designed for printers who use all kind of materials (banners and fabrics) and for the textile industry (curtains, clothing and deco). PRO LINE is the professional range that can handle everything.



**ADVERISING BANNERS**Perfect for the materials

Perfect for the materials most used in digital printing such as: PVC, mesh, PE, PP, PET.



### **AWNINGS**

For all types of materials, whether they are plastics or textiles. Awnings, tarpaulins, tents, trucks, flags...



**FABRICS** 

Set decorative eyelets on curtains, clothing, all kinds of fabrics and wherever you imagine

# Ref: HANDPRO

# **Hand**Pro

It has been designed to work bench-mounted and customer can easily adjust closing of the eyelet so it does not roll even on light fabrics.

### **FEATURES**

- It works on a wide range of materials: fabrics, corrugated plastics, clear foil, PVC banners...
- Adjustable cutting pressure, necessary to work with fabrics.
- Adjustable eyelet closing pressure, even on thin fabrics material will not roll.
- Bench-mounted.

Available for Ø8, Ø12 and Ø16 mm PLASTGrommet eyelets.





# Crossover





### **FEATURES**

- It works on fabrics, PVC banners, plastics...
- Foot pedal: operator has both hands free.
- Safety protection around the setting area.
- Cutting adjustment (even for light fabrics) and adjustable eyelet closing pressure.
- Requires pneumatic connection.

### Available dies for:

- Clear eyelets: Ø8, Ø12, Ø16, Ø25 and Ø40 mm.
- Metal eyelets: Ø9.5, Ø11.5, Ø15.2, Ø25 y Ø27 v Ø40 mm.





**Stand**Machine model: Crossover

R

Ref: 2002020

Ref: CROSSOVER



# **Auto**Cross



Electric automatic machine for banners and fabrics. Autocross has been designed for volume users who do not require as many features as Multipress can offer but still need to work on a wide range of materials.



### **FEATURES**



Materials: fabrics, corrugated plastics, clear foil, PVC banners ...



Adjustable cutting pressure and eyelet closing pressure, even on thin fabrics material will not roll.



Laser pointer for accurate setting.



Safety first: if any of the security devices is removed, machine will not work showing a warning light.



**Powerful engine. 3000 eyelets/hour.** Works with an 1 HP engine with transmission belt.



**Eyelet spacer** to set all of them to the same distance.

### Available for:

• Clear eyelets: **Ø08** / **Ø12** 

Metal eyelets: Ø12 Brass / Ø12 mm Steel

### **PRO LINE**








Ref: AUTOCROSS





# **MultiPress**



Multipress has been designed with industrial users in mind, it is fast (electric), reliable (washer detector), features a double washer raceway, it can work with fabrics as well as PVC banners and it will inform you when maintenance is due, a must have for companies finishing large number of banners.



**FEATURES** 



**Types of materials:** fabrics, corrugated plastics, clear foil, PVC banners...



Adjustable cutting and eyelet closing pressure, even on thin fabrics material will not roll.



Laser pointer for accurate setting.



**Operator safety first**: if any of the security devices is removed, machine will not work showing a warning message on the screen.



**Powerful engine. 3000 eyelets/hour.** Works with an 1 HP engine with transmission belt.



**Eyelet spacer** to set all of them to the same distance.



Pre-cutting mode for fabrics. Pressing the pedal, machine will first cut the hole and then set the eyelet (no need to press the pedal again) controlled by the PLC.



**Quality work sensors**. During the setting, if washers are not in the correct position, machine will inform you. An automatic blower will push the washer in to the setting area.



**Double washer supply on raceway.** Doble rail system to feed wahsers. If one channel is empty, the other supplies.



**Touchscreen**. Full color touch screen to interact with the machine. Working modes, language, number of eyelets.



**Information and counters.** Preventive maintenance warnings and eyelet counters (total and per shift).

**Touchscreen** 



Double washer supply on raceway



### Available for:

• Clear eyelets: Ø12

• Metal eyelets: Ø9.5 / Ø12 Brass / Ø12 mm Steel



PRO LINE









BANNER FINISHING SYSTEMS

# **EQUIPMENT TO BOOST YOUR** FINISHING PRODUCTIVITY. HIGHER QUALITY BANNERS WITH FASTER FINISHING TIMES!



# Roll2Roll Lite - Fence Mesh

Eyelet both sides of the rolls on pre-hemmed mesh.

Eyeleting

Roll to Roll



Roll2Roll Lite + (automatic)



### RollRewinder

The easy way to roll banners for shipping.

Banner to Roll





# The Finishing Station

Finishing station with welding + eyeleting in ONE step.

**Eyeleting** 

Welding





### All In One

Automated in-line solution that integrates welding, eyeleting, slitting or rewinding,

Eyeleting



Welding



**Roll to Banner** 



Roll to Roll



# 



For customers that need to eyelet full rolls on pre-hemmed mesh. Increase production and reduce labour cost with Roll2Roll Lite. Eyeleting full rolls will not be a problem anymore.

### FEATURES

- With a single button setting is done on both sides of the banner.
- Adjustable working width for different roll sizes.
- Accurate settings: if eyelet marks are printed with the RIP, operator can set using the laser pointer and the mirror provided.
- Operator pulls the banner using a handwheel.
- Roll 2 Roll Lite can be assembled with Evolution or AutoCross eyelet machines.

### **NEW Roll2Roll Lite +**

Same features as lite but adding engine, PLC and operator screen. Posible to choose eyelet distance.



Unique 2 in 1 feature. One of the machines turns 180° and can be used as a standard eyelet press to finish the short sides of the banners.



Available sizes: Option 1 (600-2000 mm) | Option 2 (600 -

# RollRewinder





Roll Rewinder is a standalone roll rewinding station to prepare banners for shipping.

### FEATURES

- Adjustable rotation speed.
- Turns in two directions. Winding and unwinding.
- · Expansible shaft.
- Works with or without cardboard core.
- Nylon cradle for materials .
- 1500mm shaft.









# The Finishing Station



Finishing station to weld and eyelet banners. Two processes in ONE step.



### FEATURES

- Unique built-in station with a hot air blower and an automatic eyelet machine.
- Reduce banner handling and save time as you only need to prepare banners once for finishing.
- Conveyor belt synchronized with driven rollers for constant tension.
- Finishing assistant to calculate automatically eyelet position.




Welding options: hem or reinforcement tape.

### Ref: TFS

### **OPTIONAL EQUIPMENT**

Banner handling is always an issue. The conveyor belt and the extension tables with rollers will help operator to feed the banner effortless. We recommend having on each side of the station enough tables to match your banner length.



# Automated in-line solution

# to finish banners


# All In One



All In One integrates in a single process **welding, eyeleting and slitting** to finish large banner jobs. As it eliminates the time needed to weld hems on another finishing station you are not only reducing time but also space while you are boosting your productivity.

All in One is the 360° solution for banner finishing as you will reduce lead times and labor costs.





### **FEATURES**

Automated in-line solution.

The processes of welding, eyeleting and slitting are labour intense and slow, the bottleneck of the print workflow. Integrating all of them in a single machine will improve productivity and reduce lead times.

Yision system.

Camera will detect eyelet and cutting marks to perform these operations automatically.

3 Automatic roll edge alignment.

Rewinding or slitting.

All In One can finish full rolls with the rewinding module (fence mesh) or to finish individual banners cut to the desired length.

It is possible to finish mesh, PVC banners or PE.

\_ Speed and productivity.

Speed may vary depending on the type of media used but as average, a **50-meter banner roll** will take about **7 minutes** to be finished, including hemming, eyeleting and slitting.

**7** Remote support.
Wi-Fi connection for technical support.

Production data monitoring.

Via CSV file with material description, number of banners, operating time...

### **MODULAR SYSTEM**



In-line Rewinder

To finish full rolls (fence banners for example).



Off-line Rewinder



# Eyeleting & slitting station

Adjustable distance between eyelet machines.

Vision system to read eyelet and cutting marks.

Precise slitting unit with rotary cutter built-in.



# Welding station

Hot air welders with setting adjustments through touch screen.

Accumulating system (dancer) for continuous welding.

Different welding options: hem, tape reinforcement and keder.



Loading station

Easy loading system with pneumatic shaft.

Edge alignment mechanism with photosensor and pneumatic adjustment.



MEDIA STORAGE & HANDLING

# INNOVATIVE SOLUTIONS FOR ROLL STORAGE AND HANDLING

Choose the correct model according to your needs



# **Table**Rack

### Save space using it as a workbench!

Optimize your space.





# **Multi**Rack

### Easy access to 36 rolls!

Small footprint with great storage capacity.





# Mobile12

### Basic storage for 2"core!

Designed so that your 2" core rolls are within your reach at any time.





460kg

12

162cm

18cm

Ø ROLL

CORE

LOADING CAPACITY

ROLLS

**ROLL SIZE** 

162cm

**ROLL SIZE** 

# Mobile 16

A must have in every print shop!

One of our best sellers. Keep up to 16 rolls on hand so you don't slow down your work.

Ref: PHTIBM16R

16

ROLLS

18cm

Ø ROLL





460kg

LOADING CAPACITY

# **Swivel**Rack

Easy access!



Designed to rotate 360°. You can access any roll even fully loaded.

Ref: PHTIBMG

360kg

12

162cm

16cm

3"

**CORE** 

LOADING CAPACITY

**ROLLS** 

**ROLL SIZE** 

Ø ROLL

**PLAST**Grommet

# **Easy**Rack

### The ergonomic solutions for roll storage!

Avoid back pain when loading and unloading rolls due to its ergonomic design. Transport and unload rolls effortless.







# **Bull**Rack

### Store more rolls in less space!



Our heavy steel construction Bull Rack has been designed with sign makers in mind as you can easily access any of the 15 rolls (up to 162 cm wide).

It is mounted on heavy duty locking wheels for easy maneuver around your print shop and there is an optional vinyl cutter available.

Ref: PHTIBR+

### **Cutter (optional)**

Ref. Cutter: PHTIBRC









575kg

15

162cm

17cm

2"/3"

LOADING CAPACITY

**ROLLS** 

**ROLL SIZE** 

Ø ROLL

CORE

# RollClips

### Take care of your vinyl rolls and printing materials





- Faster and easier than tape, rubber bands or paperclips.
  Designed with a finger pull for easy handling.
  Two sizes per bag (L + XL).
  Packs of 12 or 50 pcs.

Ref: PHTIASR12



Ref: PHTIASR50

# **Bull**RackXXL

### 320 cm rolls won't be a problem anymore!



Perfect for storing and transporting large rolls. Compatible with our range of media lifters.

Ref: PHTIBRXXL



800kg

LOADING CAPACITY ROLLS

8

320cm roll size 18cm

Ø ROLL

# **Jumbo** Rolls Transporter

Adjustable width



For super-wide format rolls. Compatible with our range of media lifters. (M.O.Q: 2 units)

Ref: PHTIJB6



1.200 kg (with 2 Jumbo) 1.800 kg (with 3 Jumbo)

LOADING CAPACITY

6

ROLLS

500cm

25cm øroll

Ø ROLL

# **Compact** e-Lifter Lite

**Battery operated** 

CE

Designed to work in small spaces, it has excellent maneuverability.



### **FEATURES**



Ref: PHTICL-LITE

- · Adjustment to the roll diameter for safety transport.
- Built-in charger.



100 kg LOADING CAPACITY



320 cm FOR ROLLS UP TO



40 cm MAX. ROLL Ø



WHEELS HEIGHT

# **Compact** Lifter

Hydraulic media lifter

CE

An essential piece of equipment for every wide format printer!





### FEATURES



Ref: PHTICL

- Hydraulic. Works by pressing the footpedal.
- · Lock ramps up to prevent roll from falling.





200 ka LOADING CAPACITY



500 cm FOR ROLLS UP TO



MAX. ROLL Ø



WHEELS HEIGHT

# **Compact** e-Lifter PRO

**Battery operated** 

CE

The media lifter with the biggest loading capacity.



### **FEATURES**



Ref: PHTICL-PRO

- · Battery operated.
- · Lock ramps up to prevent roll from falling.
- Built-in charger.



300 kg LOADING CAPACITY



500 cm FOR ROLLS UP TO



30 cm MAX. ROLL Ø



WHEELS HEIGHT





MADE IN EUROPE
SHORTER LEAD TIMES
LOW M.O.Q.
CUSTOM COLOURS
LOGO PRINTING











# **BASIC LINE**

# **Daily Use Squeegee - Green**

This squeegee model can be used for light applications on solid flat substrates.



Ref (10cm - 4"): PHREP10V



Ref (15cm - 6"): PHREP15V



# FLEX Squeegee - Blue

This model has a higher flexibility rate and a medium memory.



Ref (10cm - 4"): PHREP10A



Ref (15cm - 6"): PHREP15A



# Felt Edge Squeegee - Red

Our red felt edge squeegee is a unique combination of our everyday-use squeegee with a soft, smooth felt edge to protect the surface of digital prints.



**Ref (10cm - 4"):** PHREP10RF



Ref (15cm - 6"): PHREP15RF



# Felt Block squeegee

Felt block squeegees are made out of felt to reduce scratching on vinyl or digital prints. Perfect for applying big stickers to cars and windows.

### Two qualities available:



Ref Basic (100x70x10mm): PHREFAD10

Ref Pro (100x70x13mm): PHREFAD+





# Felt wings

Self-adhesive felt wings add a soft edge to any squeegee. They make application safer as they prevent the hard squeegee edge to mark or damage your vinyls. Supplied in packs of 5.



Ref (10cm - 4"): PHRRF10



Ref (15cm - 6"): PHRRF15



# PRO LINE

The PRO line is made up of squeegees with special technical characteristics of great durability and resistance for use professional. Recommended use in "CAR WRAPING"

## Microfiber Marathon Squeegee

- Two layers of ultra-soft Microfiber edge to avoid scratching the graphics.
- Microfiber lasts longer than any other material.
- It can be used either wet or dry.
- The unique microfiber edge makes this squeegee perfect for Chrome films.





Ref (10cm - 4"): PHTIEHAV



**Ref (15cm - 6"): PHTIEHAV15** 

## **Marathon FLEX Microfiber Squeegee**

- Same properties as Marathon but with a higher degree of flexibility.
  Choose for your car wrapping jobs the Marathon model that better suits your needs!.



Ref (10cm - 4"): PHTIEHAVFX



Ref (15cm - 6"): PHTIEHAVFX15





## **GOLD SUPER-Flex Squeegee**

- The perfect combination: Soft enough to have flexibility but hard enough to keep the shape for a long time.
- It has been designed to last longer than the everydayuse models, an "all performance squeegee".



Ref (10cm - 4"): PHREP10G









# Safety rulers

- Heavy duty aluminium construction, non-slip mat and anodized in red.
- The curved aluminum finger guard is designed to give the best protection.
- Its stainless steel cutting edge prevents the ruler to wear away with the knife.
- Numbers are laser-engraved and will not fade with the use, opposite to the ones that use a metric tape with glue.

Available sizes: 70, 100, 150, 200 y 240 cm.











Finger quard

Stainless steel cutting edge

Guide for foam board cutters

Non-slip mat

# **Clear Cutting mat**

Tool that protects the work surface from scratches and cuts. It can be used on both sides. Made of self-healing material. 5 mm thickness. 120 cm / 150 cm width.

Available in different pre-cut sizes:

- 60x120cm and 250x120cm.
- 60x150cm and 250x150cm.
- Made-to-measure: 120 or 150 cm wide and up to 20 m long.





## Adjustable finishing table

Height-adjustable finishing table (top not included). The height is adjustable from 700mm to 1200mm. Extremely solid, made of 40mm x 40mm steel. Wheels with locking system. Dimensions: 2400mm x 1200mm.







# **Corner**Rounder

Perfect tool to round edges! The Corner Rounder will round off corners of different materials such as aluminum composite (Dibond®), PVC, cardboard, paper and many other materials in a quick and precise way.

- **Radius** 6, 10 y 14 mm.
- Cut materials up to a maximum of 15 mm thickness.



Available sizes:





Ref: PHTICR



**OPTIONAL** 

It is possible to transform an existing hand press HPS025 into a Corner Rounder using kit

Includes: 1. Blade. 2. Cutting platform. 3. Cutting adjustment tool.



# **Roll Clips**

- Faster and easier than tape, rubber bands or paperclips.
- · Designed with a finger pull for easy handling.
- Two sizes per bag (L + XL).Packs of 12 or 50 pcs.





Ref (12ud): PHTIASR12



Ref (50ud): PHTIASR50

#### **Media Cards**

To categorize your materials. At a glance you can identify brand name, material type and specification. Media Cards work in horizontal or vertical racks and fit into any 3" core. 10 pcs pack (5 colors x 2).





Ref: PHTIEIR





## **Toolbag Kit**

- Tool Bag (black).
- 10 cm (4") Marathon Microfiber Squeegee.
  10 cm (4") Red Felt Squeegee.
  10 cm (4") Daily Use Squeegee.
  15 cm (6") Daily Use Squeegee.

- Media Handling Gloves.

Ref: PHRKBT

Ref: PHRKBT+

- Car Wrapping Magnet (1 piece).
- Snitty Safety Knife.
- Bubble Popper Pen.
- Eco-line Cutter.
- Lift Stick.
- Vinyl Weeding Tool.



#### **Toolbag Kit Pro**

- Tool Bag (red & black).
  10 cm (4") Marathon Microfiber Squeegee.
- 10 cm (4") Marathon Flex Microfiber Squeegee.
- 10 cm (4") Gold Super-Flex Squeegee.

- 10 cm (4") Daily Use Squeegee.
  10 cm (4") Red Felt Squeegee.
  15 cm (6") Red Felt Squeegee.
  15 cm (6") Daily Use Squeegee.
- Antistatic Wrapping Gloves.

- Car Wrapping Magnets (2 pieces). Snitty Safety Knife.
- Tweezers.
- Weeding Pen.
- Popping Pen.
- Red Safety Knife.
- Precision Knife.
- · Lift Stick.
- Vinyl Weeding Tool.



#### **Tool Bag**



Ref: PHRBHM

Made of nylon with a lot of storage space. Adjustable belt with plastic clip. Internal metal plate to hold magnets.



#### **Tool Bag Pro**



Ref: PHRBHGG

Made of nylon, 6 pockets with a lot of space for your tools. Adjustable belt with plastic clip. Internal metal plate to hold magnets.



## **Magnetic Belt Clip**



Ref: PHTICMAG

This belt clip contains strong magnets for holding tools, car wrapping magnets, etc. Made of durable 1,680 - denier ballistic polyester.



#### **Magnetic Belt Pouch**



Ref: PHTIBMAG

Adjustable to left, right or onto another tool case. Magnetized to store cutting knives and small tools. Compatible with most tool belts. Made of durable 1,680 - denier ballistic polyester.



#### **Anti-static Wrap Gloves**



Ref: PHRGAE

Have anti-static properties that prevent dust collection. They combine surface protection as well as tact, they are breathable and comfortable to wear.



#### **Media Handling Gloves**



Ref: PHRGEL

Daily use gloves for handling banners, vinyl... They are comfortable to wear and are available in one-size-fits-all.



#### **Tweezers**



Ref: PHRPSV

Stainless steel tweezers with coated handle for secure grip. Use this tool when you need a fine finish.



#### **Vinyl Weeding Tool**

Ref: PHRPZSV

Use our sharp double-ended hooked pick for removing vinyl waste to get to difficult areas such as small inner details. Designed for weeding sign vinyl and garment vinyl.



## **Weeding Pen**



**Ref:** PHTIPEN

Handy retractable ballpoint pen style tool, for weeding vinyl and laminated substrate after cutting operation. You can use it along with our weeding tweezers.



#### **Bubble-popping Pen**



Ref: RHRBAB

It is a large ballpoint-pen-style tool with a retractable needle point for removing air bubbles from applied banner graphics.



#### Lift Stick



Ref: PHRCLV

The plastic Lift Stick is used to aid in the lifting of pressured sensitive material and in the removal of adhesive from surfaces, without scratching the substrate.



## **Handle Magnets**



Ref Ø43: PHTIPSMG43R2 Ref Ø66: PHTIPSMG66R2

Handle magnet for vehicle wrapping and graphic installation: Will NOT harm your graphics, vehicle or sign substrates. Use them instead of premask or masking tape.



#### **Rivet Brush**



Ref: PHRCAV

It makes graphic installation over rivets quick and easy. The rivet brush has a wooden handle with stiff nylon bristles for pushing down vinyl around rivets, corrugated surfaces and curves. 2,5 cm application in diameter.



#### **Big Plastic Blade**



Ref: PHTIRARL

An ideal solution to remove waste. 100 replacement blades pack now available.

Orange: general purpose. Blue: (polycarb) uneven surfaces. Yellow: (acryl) flat surfaces.



#### **Plastic Blades**

Made of flexible material, it is ideal to use on delicate surfaces. **Orange:** general purpose. **Blue:** (polycarb) uneven surfaces.

\* 1 holder + 25 blades



Ref: PHTIRAR14-25



Ref: PHTIRAR05-25



# **BASIC LINE**



#### **Basic Cutter**

Ref: PHRCEL

Our Eco-Line cutter features an automatic blade lock for extra control and safety. We recommend this cutter as an all-purpose cutter for daily use. Spare blades (10): PRCEL.



#### **Precision Knife**



Ref: PHRCP

Precision cutter made of aluminum with rubber grip for easy control. Spare blades (10): PRCP.



#### Swivel Craft Knife

Ref: PHRCCG

Specialty cutter with swivel head for curves and quick direction changes. Rubber grip for easy handling. This cutter works like a plotter and will allow you to cut any design, no matter the shape. Spare blades (2): PRCCG.



#### **Snitty Safety Knife**

Ref: PHRCL

A standard double edge razor blade is locked securely in the plastic handle. The integrated hold-down skid flattens the material ahead of the blade edge, reducing wrinkles when cutting papers.

#### **Red Safety Knife**



Ref: PHRBCR

The perfect alternative to scissors for straight cuts and safer as there is no exposed blade. It is a great tool for cutting vinyl, paper and other materials.

# PRO LINE



#### Cutter NT 9mm 58°



Ref: PHRNT9-58



#### Auto-Lock stainless steel graphic knife.



Ref: PHROC9-30



#### Cutter Olfa 9mm 30° Ultra slim cutter with a unique 30 angled blade.





#### Cutter for Back Paper



Ref: PHRCPV

Perfect tool to remove the backing paper on vinyl, can be used as a standard cutter as well.





#### NT spare parts for Cutters 58° and 30°

Compatible with all cutters.



Ref (Replacement 30°): PROC9-30 • 10 spare blades



Ref (Replacement 58°): PRNT9-58

6 spare blades

# **FOAMBOARD**





## **Straight/Bevel Cutter**



Ref: PHTICRB



Simply rotate the angled base block and the straight cutter becomes a 45° bevel cutter. With an ergonomic handle and adjustable blade depth.





#### **Circle Cutter**



Ref: PHTICRC





Cut perfect circles from 25 mm to 150 mm in diameter. Centre depth indicator shows blade progression. Centring pin and clear acrylic safety dome.





#### **Rabbet Cutter**



Ref: PHTICBR

Create perfect adjoining foam board joints. The innovative ergonomic and dual blade cutter creates one-stroke fine results.





#### **Freestyle Cutter**



Ref: PHTICCL

Cut free-form shapes with this innovative push-style cutter. Easy to use, just insert the blade into the foam board and push to follow the shape. Our freestyle cutter works with up to 5 mm foam board.





#### **Straight Cutter**



Ref: PHTICBR2





Cut perfect straight edges on any foam board depth between 3 and 13 mm. On-board blade storage with 5 spare blades.





#### V-Groove Cutter



Ref: PHTICRV



Cut perfect V-grooves on foam board up to 12,7 mm. On-board blade storage with 5 spare blades.



# Replacement Foam Board Blades







Create excellent joints with foam board up to 12.7mm. Count with one compartment that includes 5 spare blades.



Ref: PRICRC



Ref: PRICCL



Ref: PRIBR2V

# ADHESIVE SOLUTIONS

Adhesive solutions for making banners and reinforcing the perimeters where the eyelets are placed, multiplying their resistance, without welding machines we have the following products:



#### **EXTREME-PLUS Tape**



Ref: PSDCEP25

It is a strong double sided tape with an overlaying liner on both sides. The thick glue (400  $\mu$ ) offers an extremely strong adhesion when hemming banners. It is our highest quality double sided tape. Available in 25 cm x 25 m.











# **Banner Tape - Adhesive Reinforcement**

Ref: PSRFA40

Banner tape is an economic solution to reinforce the perimeter using a PVC coated canvas with acrylic adhesive. Available in 40mm x 25m.



# **Banner tape PLUS**



Ref: PSRFA40+

The solution for the perimeter reinforcement of banners using an extra fine (fiberglass) reinforcement of great consistency. Available in  $40~\text{mm} \times 25~\text{m}$ .











#### Pressure roller

Ref: PSOMRPCR

A tool all sign makers should have to work with double sided tapes and hand held welders. High quality and durability (ball bearing, wooden handle and silicone roller). Available in 1 axle with bearings, 45 mm / 2 axles with bearings, 45 mm / 2 axles with bearings, 80 mm.

# REFUERZO TEXTIL



#### **Sewing Tape**



Ref: PSCRL25

Polyester tape to sew on any material and thus multiply the resistance of the material, it is widely used to reinforce textiles. Available in **black and white (width: 25, 30 and 40 mm).** 

# WELDING TAPE

Reinforcement welding, for making and reinforcing banners using welding machines, whether pulse, high frequency or hot air, we offer the following reinforcement materials:



#### **PVC Reinforcement**



Ref: PSRFS40

High quality 900 gr/m2 Panama PVC fabric that can be welded to reinforce banner edge. Available in 40 mm x 58 m.



#### Webbing PVC Coated EXTREME

This weldable webbing lets you reinforce your fabrics. PVC-Coated Webbing can be welded onto fabrics using hot air, hot wedge or high frequency welding. Available in 40/46 mm x 100m.



Ref (40 mm): PSRFSE40



Ref (46 mm): PSRFSE46

# ELDERS



#### **Quick S Electronic**



Ref: PSOMQSE40

Hand held welder

The manual hot air welder, Quick-S-Electronic, is distinguished by its ergonomic handle. Thanks to its ergonomics and its lightness, the operator can use the welding machine effortlessly.

The welding machine has a heating power of 1500 W 230 V, constant and completely reliable electronic control with temperatures up to 700 °C. The Quick-S-Electronic welding machine allows working with all thermoplastics, technical textiles, banners...



#### Forplast-P2



Ref: PSOAFPP2

Automatic welding machine

FORPLAST-P2 automatic welding is an efficient and handy device for welding truck banners, tents, awning materials and advertising banners.

Available in different widths: 20, 30, 40 and 45 mm, to be able to carry out different types of welding.

In addition, the automatic machine can be perfectly used for 20, 30, 40 and 45 mm hemming by mounting a hem welding accessory.



# Forplast-P2 with 50mm reinforcement



Ref: PS0AFPP2R50

Automatic welding machine

The FORPLAST-P2 automatic welding machine also has a model to apply a banner reinforcement in a simple way using an accessory that is attached for reinforcement rolls.

# HANGING SOLUTIONS



#### **Elastic Cord**



Ref: PSEBBD

Single core in natural rubber with anti UV protection. High-strength PES outer covering. Excellent UV resistance, good abrasion resistance. Available in  $\emptyset 8$  and  $\emptyset 6$  mm, white and black on 100 meters rolls.



#### **Plastic Hook**



Ref: PSGANPLD

Available for Ø8 mm elastic cord. Ø8 hook comes in two parts and can be closed easily by hand.



#### **Ball Bungee**



Ref: PSEB0

Elastic cord with a plastic ball at the end. This particular cord can be used as a fixation for awnings or for tents to support frames. Available in black color 18 and 25 cm.



## **Plasticised Hook Bungee**



Ref: PSEGA

Elastic cord with a plasticised metal hook at the end. This model can be used on banners and tents as fixation to frames. Available in black color in 18, 25 and 60 cm.



#### **Hook & Loop**



Ref: PSV

**Sew-on** hook & loop: for textile or plastic materials. Hook & loop with hot-melt adhesive to be used on all surfaces (except PVC). Hook & loop with acrylic adhesive.

Recommended for plastic surfaces.

Available in 25 and 50 mm (white & black).



#### **Webbing Strap with Buckle**



Ref: PSCH

Manufactured with high tenacity polyester yarn, this strap offers great resistance for building wraps. With an optimal UV resistance.


Available in: 15 mm x 60 cm and 25 mm x 60 cm (white & black).

Longer model: 120 cm (only in 25 mm width).



# PIPE FITTINGS Ø48





**Aluminum Wall Plate** 





# PIPE FITTINGS Ø34







Download on pdf format



**Factory and Headquarters** | Plásticos Alco S.L.U. Carretera Font Roja, 23 | 03801, ALCOY (Alicante) | SPAIN Tel: +34 965 339 969 | info@plastgrommet.com

**US Office** | Alco Finishing Equipment, INC 8950 SW 74th Ct., Suite 1406 | Miami, FL 33156 | USA Tel: +1 305 447 7040 | usa@plastgrommet.com